



# CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA,,VADODARA-390016  
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA,,VADODARA-390016  
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

## QUALITY CONTROL DEPARTMENT

THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER

Page 1 of 1

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name	: VIDALISTA 80	A.R. No.	: F/2588/2324
Packing	: 10x10 TAB	Rel. Dt.	: 05-12-2023
Generic Name	: TADALAFIL TABLETS 80 MG	T.R. Slip No.	: CPT231757
Product Code	: TV-06	T.R. Slip Dt.	: 05-12-2023
Batch No.	: TV-060046	Analysis Date	: 05-12-2023
Actual Batch Size	: 500000 TAB	Test Packing	: 10X10 TAB
		Specification No.	: CRFS/TV-06/2324
Sample Size	: 50.000 TAB	Specification Dt.	: 27-04-2023
Released Qty	: 500000.000 TAB (5000 CAR)	STP No.	: STP/TV-06/AS PER IH
Remarks	: pass	Location	: GORWA01
		Make	: CENTURION

Sr.	Test	Result	Specification
1	DESCRIPTION	A yellow coloured, oval shaped, Biconvex , Film Coated tablet, Plain on both sides.	A yellow coloured, oval shaped, Biconvex , Film Coated tablet, Plain on both sides.
2	IDENTIFICATION	Complies	Must complies as per IH.
1	BY HPLC	In the Assay,the principal peak in the chromatogram obtained with the test solution is corresponds to the peak in the chromatogram obtained with the reference solution.	In the Assay,the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference solution.
3	AVERAGE WEIGHT OF TABLETS	332.97 mg	329.60 mg $\pm$ 5.0%of avg. weight
4	UNIFORMITY OF WEIGHT	H.L: +2.29 % L.L: -2.18%	Within $\pm$ 5.0% of avg. weight
5	HEIGHT	12.66 mm	12.60 mm $\pm$ 0.2mm
6	THICKNESS	4.83 mm	4.80 mm $\pm$ 0.2 mm
7	DISINTEGRATION TIME	06 Min 43 Sec in Water Medium at 37°C	NMT 30 Min.
8	DISSOLUTION	87.21%	NLT 70%
9	ASSAY	99.73%	Each Film Coated Tablet Contains: Tadalafil..... 80 mg [Limit :90.0 % to 110.0 %]

Conclusion : The above sample complies as per IH

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By	Checked By	Approved By
 JAYDIP KANZARIYA TRAINEE OFFICER	 ASMITA MANAGER QC	 VANI PATEL QA HEAD

NIKITA2023 11-12-23 01:55 PM

FGANLCERTQA